



Dongguan Baoxu Chemical Technology, Ltd.

P:+86-0769-22821082 Fax:0769-22821083

Email:info@additivesforpolymer.com Web:www.additivesforpolymer.com

8th Chenwu East Road, Houjie Town, Dongguan City, Guangdong Province, China

Solvent Blue 149

Name: Solvent red HFG C I Index number Solvent red 149

NO CAS . : 71902-18-6

Standard items:

Project Description	Standard
1 . Shade	Similar to standard product ($DE \leq 1.0$)
2 . Strength (%)	100 ± 2 for standard products
3 . Melting point (°C)	252-256
4 . Ash content (<= %)	0. 3
5 . Moisture (<= %)	0. 5
6 . Fineness (80 mesh sieve)	95% pass
7 . metal element	Complies with European EN71 , 1994

Corresponding foreign brands: Macrolex Red HFG (Bayer)

Scope of application: mainly used for many types resin, plastics and fibers.

Specifications.

Remark: 1、A=0.05% red 149; B=1 / 3 international standard strength, red 149 0.05%+1%TiO₂ (ABS4% TiO₂\Ps2% TiO₂)

Heat	PS	SB	ABS	SAN	PMMA	PC	PA6	PA66	PET	PBT	PPO	Light	Immigrate
A	300	300	280	300	300	350	300	300	290	280	300	8	4 - 5
B	300	300	280	260	300	350	300	300	290	280	300	6	

The information and statement herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility, Users should undertake sufficient verification and testing to determine the suitable for their own particular purpose of any information or products referred to herein. No warranty of fitness for a particular purpose is made.