SAFETY DATA SHEET

In accordance with Regulation (EC) 1907/2006 (REACH), Annex II-Europe

1.IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:	
Product name:	Optical Brightener KSN
Other name:	Fluorescent Brightener 368 (FB 368) ,c.i.368
CAS No.:	5242-49-9
EC No.:	226-044-2
REACH Registration No.:	Not available
Recommended use of the chemical and	Optical brightener for plastics;
restrictions on use:	Industrial
1.2 Manufacturer or supplier information	
Company name:	www.additivesforpolymer.com
Address:	Dongguan Baoxu Chemical Technology.,ltd.
	Caijin Business Bldg DongGuan CN 523071
Emergency contact person:	Tel +86 0769 22821082
Emergency phone/ fax number:	info@additivesforpolymer.com
Emergency contact Email:	

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

2.1.1 Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified according to Regulation (EC) No. 1272/2008 [CLP]

2.1.2 Classification according to Directive 67/548/EEC Not classified according to

Directive 67/548/EEC

2.1.3 Additional information

No further information

2.2 Label elements:

Symbols: No symbol Signal word: No Signal word

Hazard substance: Not classified as hazard substance. Hazard statement: No

Hazard statements.

Precautionary statements: No precautionary statements.

2.3 Other hazards:

The substance does not meet the criteria for PBT or vPvB substance

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Information about substance:

			Classification	Classification	
Chemical name	CAS No.	EC No.	Weight %	according	According to
			content	to 67/548/EEC	Regulation (EC) No 1272/2008
					1212/2000

2-[4-[2-[4-(benzoxazol-2								
vl)nhonvl]vinvl]nhonvl]								
-yl)phenyl]vinyl]phenyl]- 5-methylbenzoxazole	5242-49-9	226-044-2	>98%	-	-			
4. FIRST-AID MEASUR	ES							
Eye contact:		minimum. F flushing for lower eyeli	Immediately wash eyes with plenty of running water for at least 15 minimum. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. Occasionally lift the upper and lower eyelids. Seek medical advice if irritation develops and persists.					
Skin contact:		minutes wh	Wash affected skin area with plenty of water and soap for at least 15 minutes while removing contaminated clothing and shoes. Seek medical advice if irritation develops and persists.					
Ingestion:		of water an	d give 2-4 cup of	ctim feels unwell. Wash water or milk to drink. N rson. Do not induce voi	lever give anything by			
Inhalation:		dizziness, o artificial res	drowsiness or res	osure into fresh air if ac piratory irritation) occur ing is difficult, give oxy ptoms appear.	. If not breathing, give			
The most important sy hazardous effects:	-	See Sectio symptoms	n 11 for more det	ailed information on eff	ects and			
5. FIRE-FIGHTING ME	ASURES							
Suitable extinguishing me	foam; alcol synthetic fo	Water fog or fine spray, dry chemical fire, carbon dioxide extinguishers and foam; alcohol resistant foam (ACT type) are preferred; general purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.						
Unsuitable extinguishing n	nedia:	No informa	No information available					
Exposure hazards (combus Unusual Fire and Explosio	stion products):		Combustion products may include and are not limited to: Carbon oxides, nitrogen oxides					
			may rupture from	gas generation in a fire				
		areas.	n air and may trav		situation. Vapours are accumulate in low lying			
Special protective equipme fighters:	ent for fire	areas. Wear posit protective boots, and	ive-pressure self- fire fighting clothir gloves). If protec	vel a long distance and contained breathing ap	accumulate in low lying paratus (SCBA) and helmet, coat, trousers,			

Move container from fire area if this is possible without hazard.

6. ACCIDENTAL RELEASE MEASURES Personal precautions: Wear appropriate personal protective equipment (see section 8) during cleaning. Avoid contact with eyes and skin. Avoid inhalation of dust. Avoid dust formation. Keep away sources of ignition. Prevent the material from entering surface water or sanitary sewer system. Do not discharge directly to a water source. If accidental spillage **Environmental precautions:** or washings enter drains or watercourses contact local Environment Agency. Pick up mechanically. Place in suitable and properly labelled waste containers for later disposal. Prevent entry into sewers and waterways. Methods for cleaning up: For large spills: Contain spilled material if possible. Reference to other sections Refer additionally to Section 8 and 13. 7. HANDLING AND STORAGE 7.1 Handling Personal precautions: Prevent formation of dust. Wear personal protective equipment (see section 8). Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Avoid breathing dust. Dust can form an explosive mixture with air. Take pre-cautionary measure against static charge. Keep away from sources of heat and ignition. **Technical measures/ Precautions:** Provide good ventilation (local exhaust) of the working area, safety showers and eye wash station near the workplace. Avoid release to the environment. 7.2 Storage Technical measures/ Storage conditions: Keep in the original container. Keep container tightly closed in a cool, dry, well-ventilated place. Keep product away from heat, sparks, flame and other sources of ignition and out of direct sunlight and away from incompatible materials. Incompatible products: Strong oxidizing agents, alkaline and aqueous acids. 7.3 Specific end use(s)

Not relevant

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Occupational exposure limits

8.1.1 Control parameters

8 hours time weighted average exposure limits (TWA): Data not yet available

8.2 Exposure controls

8.2.1 Technical measures:

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

8.2.2 Organisational measures:

Only personnel who have received appropriate training and are authorized are allowed to handle the substance. Organize regular exposure monitoring to check that exposure levels of operators stay beyond the Exposure Limit. Sampling and analysis should be carried out according to accepted methods.

8.3 Personal protective equipment

Respiratory protection:	Use a properly fitted, air-purifying or air-fed respirator complying with NIOSH-approved respirator with minimum APF 10. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. Recommended: Dust mask type N95
Hand protection:	After contamination with product change the gloves immediately and dispose them off according to relevant national and local regulations Recommended: Chemical resistant protective gloves (EN 374),
	Protective index 6, corresponding > 480 minutes of permeation time according to EN 374 Safety glasses with side-shields (frame goggles) (e.g. EN 166)
F	Wear chemical-resistant protective clothing
Eye protection:	

Skin and body protection:

8.4 Hygiene measures

Keep away from foodstuffs, drinks and tobacco. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

8.5 Environmental exposure controls:

Procedural and/or control technologies are used to minimize emissions and the resulting exposure during cleaning and maintenance procedures.

Transfer waste gases to a combustion unit or to a powder separator. Do not apply industrial sludge to natural soils. Sealing of all relevant soil surfaces in the facility.

9.PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Yellowish-green crystalline powder
Odour:	Odorless
Odour threshold: pH:	No data available
Melting point/Freezing point:	No data available
Initial boiling point and boiling range:	335-345°C
Flash-point:	No data available
Evaporation rate:	>150。
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Relative density:	No data available
Solubility(ies):	No data available
Partition coefficient: n-octanol/water:	Water: <100ppm
	@20 No data

Auto ignition temperature:	No data available
Decomposition temperature:	>350°C
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available

10. STABILITY AND REACTIVITY	
Chemical Stability:	Stable under original conditions.
Conditions to be avoided:	Static discharges. Keep product away from heat, sparks, flame and other sources of ignition. Avoid direct sunlight and UV light
Materials to avoid:	Strong oxidizing agents, alkaline and strong acids.
Hazardous polymerization	Will not occur.
Hazardous decomposition products:	Thermal decomposition and burning may produce carbon oxides, nitrogen oxides and other toxic gases and vapors

11. TOXICOLOGICAL INFORMATION	
Routes of exposure:	Skin, inhalation, ingestion, eyes.
ACUTE TOXICITY	
Acute oral toxicity, LD ₅₀ :	> 2000 m g/kg RAT
Acute dermal toxicity, LD ₅₀ :	No data available
Acute inhalation toxicity, LC ₅₀ :	No data available
LOCAL EFFECTS	
Skin irritation:	No data available
Eye irritation:	No data available
Skin sensitization:	No data available
OTHER	
Repeated dose toxicity:	No data available
Mutagenicity:	No data available.
Reproductive toxicity:	No data available.
Carcinogenicity:	No data available.

12. ECOLOGICAL INFORMATION

ACUTE TOXICITY-Short-term toxicity	
LC50-Fish-96h:	No data available
EC50-Algae-72h:	No data available
IC50-Bacteria-3h:	No data available
EC50-Inve rte b rate -48 h:	No data available
OTHER	
Biodegradation:	0-4%/28 days
Bioaccumulation	No data available
Results of PBT and vPvB assessment:	No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues:	Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. For used, contaminated and residual materials additional evaluations may be required. Do not dump into any sewers, on the ground, or into any body of water.
Container:	Containers should be cleaned by appropriate method and then re-used or disposed by landfill or incineration as appropriate, in accordance with local and national regulations. Do not remove label until container is thoroughly cleaned.

14. TRANSPORT INFORMATION

United nations number (UN No.):	Not	classified	as hazard	transport	goods.
Transport hazardous class:	Not	classified	as hazard	transport	goods.
UN Proper shipping name:	Not	classified	as hazard	transport go	oods.
Marine pollutant (YES/NO): ADR/RID:	No				
IMDG/IMO:	Not	classified	_{as} hazard	transport	goods.
IATA/ICAO:	Not	classified	_{as} hazard	transport	goods.
Specific transport measures and precautionary conditions:	Not	classified	_{as} hazard	transport	goods.
	Not	classified a	s hazard	transport go	oods.

15. REGULATORY INFORMATION

HMIS Classificat	tion					
Health Hazard: 1	Flammability:	0	Physical	Hazards:	0	Personal Protection: F
NFPA Classifica	tion					
Health Hazard: 1	Flammability:	0	Instability	<i>y</i> : 0		
Chemical Invent	ories					
AUSTRALIA: AIC	S					
CANADA: DSL						
CHINA:旧CSC						
EEC: EINECS						
JAPAN: ENCS						
KOREA: ECL						
PHILIPPINES: P	CCS					
USA: TSCA						
16. OTHER IN	FORMATION					
Shelf life	2 years after shipping	y date	e in sealed	d containe	rs prot	ected from light and air.
Reference	European Chemical Substance Information System (ESIS) United States Environmental Protection Agency (US					
documents	EPA)			,	,	, , , , , , , , , , , , , , , , , , , ,
MSDS	Company name			Dongg	uan Ba	aoxu Chemical Technology.,Itd.

prepared by		Room 1118 Caijin business building nancheng district Dongguan City Duangdong province China
	TEL. / FAX.	+86 0769 22821082/ +86 0769 22821083

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance.