# **Optical Brightener OB**

# 1. Identification

# Product identifier used on the label

# **Optical Brightener OB**

# Recommended use of the chemical and restriction on use

Recommended use\*: optical brightners; stabilizer

Unsuitable for use: This material is not intended for use in products for which prolonged contact with mucous membranes, body fluids or abraded skin, or implantation within the human body, is specifically intended, unless the finished product has been tested in accordance with nationally and internationally applicable safety testing requirements. Because of the wide range of such potential uses, we are not able to recommend this material as safe and effective for such uses and assume no liability for such uses.

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of

the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

# Details of the supplier of the safety data sheet

# Company:

Dongguan baoxu chemical technology co.,ltd. Room 1118 Caijin business building nancheng district Dongguan City www.additivesforpolymer.com Tel 0086-0769-228210822.

# Other means of identification

Molecular formula:C26 H26 N2 O2 SSynonyms:2,5-Thiophenediylbis(5-tert-butyl-1,3-benzoxazole)

# 2. Hazards Identification

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# Classification of the product

### **Optical Brightener OB**

### Label elements

Signal Word: Warning

Hazard Statement: May form combustible dust concentration in air.

## Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

# According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## **Emergency overview**

CAUTION: May cause mechanical irritation to eyes, skin and respiratory system. Avoid inhalation of dusts. Use NIOSH approved respirator as needed to mitigate exposure. Wear NIOSH-certified chemical goggles. Take precautionary measures against static discharges.

# 3. Composition / Information on Ingredients

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

# 4. First-Aid Measures

### Description of first aid measures

### General advice:

Remove contaminated clothing.

### If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

### If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If irritation develops, seek medical attention.

### If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Immediate medical attention required.

## Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Further important symptoms and effects are so far not known.

## Indication of any immediate medical attention and special treatment needed

Note to physician Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media: dry powder, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide

Additional information: Avoid whirling up the material/product because of the danger of dust explosion.

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting: harmful vapours Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### **Further information:**

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

### 6. Accidental release measures

Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

## Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing.

### **Environmental precautions**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

## **Optical Brightener OB**

## Methods and material for containment and cleaning up

Nonsparking tools should be used.

# 7. Handling and Storage

## Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Closed containers should only be opened in well-ventilated areas. Avoid dust formation. Do not use any sparking tools.

### Protection against fire and explosion:

Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

## Conditions for safe storage, including any incompatibilities

No applicable information available.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

# 8. Exposure Controls/Personal Protection

### Advice on system design:

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

## Personal protective equipment

### **Respiratory protection:**

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Observe OSHA regulations for respirator use (29 CFR 1910.134).

### Hand protection:

Wear chemical resistant protective gloves.

# Eye protection:

Safety glasses with side-shields.

### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

# General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and Chemical Properties

Form: Odour: Odour threshold: Colour: pH value: Melting point: Boiling point: Sublimation point:	powder odourless No data available. yellowish 6.2 ( 1 %(m), 22.5 °C) 196 - 200 °C not applicable No data available.				
Flash point:	> 350 °C		(Directive		
92/69/EEC, A.9) Flammability:	not flammable		(UN Test N.1 (ready		
combustible solids))					
Lower explosion limit:	For solids not relevant for	classification and labelling.			
Upper explosion limit:	For solids not relevant for		-		
Autoignition:	490 °C	classification and labelling. (calculated) ( 25 °C)			
Vapour pressure:	< 0.00001 Pa		(calculated)		
Density:	1.272 g/cm3	. ,	(EN ISO 1183-1)		
Relative density:	1.272	( 20 °C)	(OECD Guideline		
		( 20 °C)		109)	
Bulk density:	not determined	No data av	allable.		
Vapour density:	No data available.				
Partitioning coefficient n-	> 6		(calculated)		
octanol/water (log Pow): Self-ignition temperature:	not self-igniting				
	not self-igniting		(Regulation		
Thermal decomposition:	440/2008/EC, A.16) > 350 °C				
Viscosity, dynamic: Particle size:	not determined D50 17 μm		(134001)		
% volatiles:	<= 0.5 %		, , , , , , , , , , , , , , , , , , ,		
Solubility in water:	< 0.01 mg/l				
Molar mass <sup>.</sup>	(20 °C) Volar mass: 430.57 g/mol Evaporation rate: The product is a non-volatile solid.				
Evaporation rate:					
Other Information: If necessary, information on other physical and chemical					
parameters is indicated in this section.					

# 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.				
Oxidizing properties: not fire-propagating Reactions with	Reaction with:	water		
water/air:	Flammable gases:	no		
	Toxic gases:	no		
	Corrosive gases:	no		
	Smoke or fog:	no		
	Peroxides:	no		
	Reaction with:	air		
	Flammable gases:	no		
	Toxic gases:	no		
	Corrosive gases:	no		
	Smoke or fog:	no		
	Peroxides:	no		
Formation of flammable gases:	Remarks:	Forms no flammable gases in the		
C C	presence of water.			

## **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product may contain explosive fine dust or such dust may be produced by abrasion during transport or product transfer.

### **Conditions to avoid**

Avoid dust formation. Avoid deposition of dust. Avoid all sources of ignition: heat, sparks, open flame. Avoid electro-static charge.

# **Incompatible materials**

strong acids, strong bases, strong oxidizing agents

# Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: > 350 °C

# 11. Toxicological information

# Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Optical Brightener OB

#### Acute Toxicity/Effects

<u>Acute toxicity</u> Assessment of acute toxicity: No known acute effects.

<u>Oral</u> Type of value: LD50 Species: rat (male/female) Value: 10,000 mg/kg (similar to OECD guideline 401)

Inhalation Type of value: LC50 Species: rat (male/female) Value: 1.82 mg/l (similar to OECD guideline 403) Exposure time: 4 h

Dermal Type of value: LD50 Species: rat Value: > 2,000 mg/kg

Assessment other acute effects

Assessment of STOT single: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion Assessment of irritating effects: Not irritating to eyes and skin.

<u>Skin</u> Species: rabbit Result: non-irritant Method: similar to OECD guideline 404

<u>Eye</u> Species: rabbit Result: non-irritant Method: similar to OECD guideline 405

<u>Sensitization</u> Assessment of sensitization: Based on available Data, the classification criteria are not met.

Maurer optimisation test Species: guinea pig Result: Non-sensitizing.

Aspiration Hazard not applicable

### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Genetic toxicity

# **Optical Brightener OB**

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. Genetic toxicity in vitro: OECD Guideline 471 Ames-test negative

#### Carcinogenicity

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

None of the components in this product at concentrations greater than 0.1% are listed by IARC; NTP, OSHA or ACGIH as a carcinogen.

#### Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

## Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

# 12. Ecological Information

## Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static) Nominal concentration. No toxic effects occur within the range of solubility.

### Aquatic invertebrates

EL50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, semistatic) Limit concentration test only (LIMIT test). Nominal concentration. No toxic effects occur within the range of solubility. The product has low solubility in the test medium. A saturated solution has been tested.

### Aquatic plants

EC10 (72 h) > 100 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)The product has low solubility in the test medium. A saturated solution has been tested. Limit concentration test only (LIMIT test). Nominal concentration. No toxic effects occur within the range of solubility.

EC50 (72 h) > 100 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) The product has low solubility in the test medium. A saturated solution has been tested. Limit concentration test only (LIMIT test). Nominal concentration. No toxic effects occur within the range of solubility.

### Microorganisms/Effect on activated sludge

Toxicity to microorganisms OECD Guideline 209 static activated sludge, domestic/EC50 (3 h): > 100 mg/l

## **Optical Brightener OB**

Nominal concentration.

# Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

# Elimination information

4 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated sludge, domestic, non-adapted) Poorly biodegradable.

<u>Assessment of stability in water</u> According to structural properties, hydrolysis is not expected/probable.

Information on Stability in Water (Hydrolysis) According to structural properties, hydrolysis is not expected/probable.

## **Bioaccumulative potential**

<u>Assessment bioaccumulation potential</u> Significant accumulation in organisms is not to be expected.

Bioaccumulation potential Bioconcentration factor: < 500 (calculated) The product has not been tested. The statement has been derived from the structure of the product.

### Mobility in soil

<u>Assessment transport between environmental compartments</u> The substance will not evaporate into the atmosphere from the water surface.

# Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

# 13. Disposal considerations

### Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

### **Container disposal:**

Dispose of in accordance with national, state and local regulations. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

### RCRA:

Not a hazardous waste under RCRA (40 CFR 261).

# 14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

# Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

# 15. Regulatory Information

# **Federal Regulations**

Registration status:ChemicalTSCA, USreleased / listed

EPCRA 311/312 (Hazard categories):

Fire (Combustible Dust);

## CA Prop. 65:

WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

# NFPA Hazard codes:

Health : 1 Fire: 2 Reactivity: 0 Special:

HMIS III rating Health: 1 Flammability: 2 Physical hazard:0

# 16. Other Information

**SDS Prepared by:** BAOXU CHEMICAL,SDS Prepared on: 20190106